

TOWN OF RED HOOK
7340 SOUTH BROADWAY, RED HOOK, NY 12571
TEL: 845-758-4600 ~ FAX: 845-758-5313

August 25,2015

Matty Jones
Vehicle Marketplace Team at NYSPRO

Attached are the specification for the Silverado we requested on the Mini Bid Process
As we discussed this am. Also note on the original the truck specified was red.

Thanks,

Ted Kudzy Purchasing\

Cc: redhookhighway

TOWN OF RED HOOK
7340 SOUTH BROADWAY, RED HOOK, NY 12571
TEL: 845-758-4600 ~ FAX: 845-758-5313

TT: Matty Jones

Mini Bid: Silverado

After Market Component

- 1-Fisher or Boss 9'2" Power V DXT Plow
- 1.Snow Deflector for V-Plow up to 9'2"
- 1.Shoes for V-Plow
- 1. Cutting Edge for V-Plow
- 1. Curb Shoes for V-Plow

1. Tommy G2-60-1342 TP38-Steel/1300 lb Capacity

- 1. Star Model 9016LED Mini Lightbar
- 2 . Code 3 Strobe Lamps TRX6A Rear Tail Lamps and XT4A Front frill

To: MATT JONES
VEHICLE MARKETPLACE TEAM

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CK25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 133.6" Work Truck	\$35,585.00

SELECTED VEHICLE COLORS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: Dark Ash with Jet Black Interior Accents
-	Exterior 1: Victory Red
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
MODEL OPTION	AVF	2015 INTERIM PROCESSING CODE	\$0.00
BODY CODE	E63	PICKUP BOX, WIDESIDE (STD)	\$0.00
SUSPENSION PKG	Z85	SUSPENSION PACKAGE, STANDARD includes 51mm twin tube shock absorbers and 33mm front stabilizer bar (STD)	\$0.00
EMISSIONS	NE1	EMISSIONS, CONNECTICUT, DELAWARE, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, OREGON, PENNSYLVANIA, RHODE ISLAND, VERMONT AND WASHINGTON STATE REQUIREMENTS	\$0.00
ENGINE			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ENGINE	L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, FLEXFUEL capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.) (STD)	\$0.00
TRANSMISSION	MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)	\$0.00
GVWR	GEH	GVWR, 9500 LBS. (4309 KG) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 4WD model.)	\$0.00
AXLE	GT5	REAR AXLE, 4.10 RATIO (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)	\$0.00
PREFERRED EQUIPMENT GROUP	1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
WHEELS	PYN	WHEELS, 17" (43.2 CM) STEEL includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (STD)	\$200.00
TIRES	QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$0.00
PAINT SCHEME	ZY1	PAINT, SOLID	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2015 Fleet/Non-Retail CK26903 4WD Reg Cab 133.6" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PAINT		\$0.00
GCN	VICTORY RED	
SEAT TYPE		\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER RECLINE with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD) (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)	
SEAT TRIM		\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	
RADIO		\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH USB PORTS auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.) (STD)	
ADDITIONAL EQUIPMENT		\$610.00
PCR	WT FLEET CONVENIENCE PACKAGE includes (DL8) outside heated power-adjustable mirrors and (AQQ) Remote Keyless Entry (Includes (A31) power windows, Upgradeable to (DPN) Mirror. Not available with (DF2) Mirror.)	
VYU	SNOW PLOW PREP PACKAGE includes power feed for backup and roof emergency light, (KW5) 220- amp alternator with gas or diesel engine, forward lamp wiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ) underbody shields and Heavy-Duty front-springs. (Available on 4WD models. Upgradeable to (KHB) dual, 150 amps and 220 amps each alternators with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	\$450.00
KW5	ALTERNATOR, 220 AMPS (Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.)	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
Z82	TRAILERING EQUIPMENT Trailing hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Included with (Z71) Off-Road Package. Not available with (ZW9) pickup box delete or (9J4) rear bumper delete.)	\$280.00
NZZ	UNDERBODY SHIELD, FRAME-MOUNTED SHIELDS includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case (Included with (VYU) Snow Plow Prep Package.)	INC
VXJ	LPO, ASSIST STEPS, CHROMED TUBULAR, 4" ROUND (dealer-installed) (Included with (PDQ) Chrome Appearance Package, LPO. Not available with (RVQ) 6" rectangular Black tubular assist steps, LPO, (S6V) cargo box retractable side assist step, LPO, (RVS) 4" round Black tubular assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.)	\$585.00
TRW	PROVISION FOR CAB ROOF-MOUNTED LAMP/BEACON provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp (Included with (VYU) Snow Plow Prep Package.)	INC
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE (includes driver's side spotter mirror) (Black, included and only available with (PCR) WT Fleet Convenience Package.)	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
CGN	BED LINER, SPRAY-ON Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. The textured, non-skid surface is black in color and robotically applied to yield consistent 90 mil floor and tailgate thickness along with 50 mil box sidewall thickness. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. (Not available with (ZW9) pickup box delete, (VUK) tailgate liner, LPO, (VBN) bed rug, LPO, (VZX) bed liner, LPO or (LC8) 6.0L V8 SFI Gaseous CNG (compressed natural gas) engine. Not available with any ship thru code.)	\$475.00
A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS DOWN ON ALL OTHER WINDOWS (Included and only available with (PCR) WT Fleet Convenience Package.)	INC
AQQ	REMOTE KEYLESS ENTRY (Included and only available with (PCR) WT Fleet Convenience Package)	INC
C49	DEFOGGER, REAR-WINDOW ELECTRIC	\$175.00
9L7	UPFITTER SWITCHES, (4) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)	\$125.00
OPTIONS TOTAL		\$3,130.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

PRICING SUMMARY

PRICING SUMMARY - 2015 Fleet/Non-Retail CK26903 4WD Reg Cab 133.6" Work Truck

	<u>MSRP</u>
Base Price	\$35,585.00
Total Options:	\$3,130.00
Vehicle Subtotal	\$38,715.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,195.00
GRAND TOTAL	\$39,910.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not Included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (380 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 4WD model.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

August 21, 2015 9:58:58 AM

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

WEIGHT RATINGS

WEIGHT RATINGS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

Front Gross Axle Weight Rating:	4,400.00
Rear Gross Axle Weight Rating:	6,200.00
Gross Vehicle Weight Rating:	9,500.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

WEIGHT INFORMATION			
	Front	Rear	Total
Gross Axle Wt Rating (lbs)	4,400.00	6,200.00	
Curb Weight (lbs)	3,525.00	2,519.00	6,044.00
Total Option Weight (lbs)	0.00	0.00	0.00
As Spec'd Curb Weight (lbs)	3,525.00	2,519.00	6,044.00
As spec'd payload (lbs)			3,456.00
Total Weight (lbs)	3,525.00	2,519.00	6,394.00
Reserve Axle Capacity (lbs)	875.00	3,681.00	4,556.00
Gross Vehicle Wt Rating (lbs)			9,500.00
Gross Combined Wt Rating (lbs)			20,500.00

TRAILERING		
	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	13,000.00	1,560.00
Fifth Wheel Hitch (lbs)	14,156.00	3,456.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 398.0, Data updated 8/4/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: