

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

10/21/15

Vehicle Specification Form.

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

ENTERTAINMENT

- Radio: AM/FM/MP3
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack and External Memory Control
- Integrated Roof Antenna
- 4 Speakers
- FABRIC VINYL
- Exterior white

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

EXTERIOR

- Wheels: 16" x 6.0" Steel
- Tires: 225/75R16C BSW All Season
- Wheels w/Hub Covers
- Steel Spare Wheel
- Full-Size Spare Tire Mounted Underbody
- Clearcoat Paint
- Gray Front Bumper
- Gray Rear Step Bumper
- Gray Bodyside Moldings and Gray Fender Flares
- Black Side Windows Trim
- Black Door Handles
- Black Manual Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Trailer Style Mirrors
- Light Tinted Glass
- Fully Galvanized Steel Panels
- Gray Grille
- Sliding Rear Passenger Side Door
- Split Swing-Out Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Aero-Composite Halogen Headlamps
- Cab Clearance Lights

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

INTERIOR

- Manual Telescoping Steering Column
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Front Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter and Illuminated Entry
- Manual Air Conditioning
- Glove Box
- Driver Foot Rest
- Front Cloth Headliner
- Urethane Gear Shift Knob
- ~~Day-Night Rearview Mirror~~ *Vinyl Bucket Seats.*
- Day-Night Rearview Mirror
- 1 12V DC Power Outlet
- Front Map Lights
- Fade-To-Off Interior Lighting
- Vinyl/Rubber Floor Covering
- Cargo Space Lights
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Instrument Panel Bin, Covered Dashboard Storage, Driver And Passenger Door Bins
- Power 1st Row Windows w/Driver And Passenger 1-Touch Down
- Power Door Locks w/Autolock Feature
- Trip Computer
- Outside Temp Gauge
- Analog Display
- Fixed Front Head Restraints

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

- Engine Immobilizer

MECHANICAL

- Engine: 3.6L V6 24V VVT
- Transmission: 6-Speed Automatic 62TE
- 3.16 Axle Ratio
- Medium Duty Suspension
- GVWR: 8,550 lbs
- 50 State Emissions
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Front-Wheel Drive
- Engine Oil Cooler
- 95-Amp/Hr 700CCA Maintenance-Free Battery w/Run Down Protection
- 180 Amp Alternator
- Towing w/Trailer Sway Control
- 3920# Maximum Payload
- Gas-Pressurized Shock Absorbers
- Front Anti-Roll Bar
- Hydraulic Power-Assist Steering
- 24 Gal. Fuel Tank
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Leaf Rear Suspension w/Leaf Springs
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- Brake Actuated Limited Slip Differential

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

SAFETY

- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- ABS And Driveline Traction Control
- Side Impact Beams
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Tire Specific Low Tire Pressure Warning
- Dual Stage Driver And Passenger Front Airbags
- Curtain 1st Row Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 MARLBORO SCHOOL DISTRICT
 Phone: (845) 236-5805
 Fax: (845) 236-1367

Prepared By:
 administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
VF1L12	2016 Ram ProMaster Cargo Van 1500 Low Roof 136" WB	\$30,170.00

SELECTED VEHICLE COLORS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

Color - white

SELECTED OPTIONS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ENGINE		
ERB	ENGINE: 3.6L V6 24V VVT (STD)	\$0.00
TRANSMISSION		
DG2	TRANSMISSION: 6-SPEED AUTOMATIC 62TE (STD)	\$0.00
CPOS PKG		
21A	QUICK ORDER PACKAGE 21A -inc: Engine: 3.6L V6 24V VVT, Transmission: 6-Speed Automatic 62TE (Requires DG2 and ERB)	\$0.00
WHEELS		
WCS	WHEELS: 16" X 6.0" STEEL (STD)	\$0.00
PRIMARY PAINT		
PW7	BRIGHT WHITE CLEARCOAT	\$0.00
PAINT SCHEME		
—	STANDARD PAINT	\$0.00
SEAT TYPE		
A7AA	GRAY, CLOTH BUCKET SEATS	\$0.00

vinyl

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
 MARLBORO SCHOOL DISTRICT
 Phone: (845) 236-5805
 Fax: (845) 236-1367

Prepared By:
 administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
CWC	CARGO PARTITION -inc: Delete Rear View Mirror	\$305.00
AJV	INTERIOR CONVENIENCE GROUP -inc: Shelf Above Roof Trim, Windshield Document Holder, Locking Glove Box, Underseat Storage Tray	\$250.00
GFA	REAR WINDOW DEFROSTER (Requires GLB)	\$150.00
GKB	RIGHT SLIDING DOOR W/FIXED GLASS -inc: Deep Tint Sunscreen Glass	\$135.00
GLB	REAR HINGED DOORS W/FIXED GLASS -inc: Deep Tint Sunscreen Glass	\$195.00
LMK	DAYTIME RUNNING HEADLAMPS	\$50.00
RA2	RADIO: UCONNECT 5.0 -inc: 5.0" Touchscreen Display, GPS Antenna Input, Steering Wheel Mounted Audio Controls, Media Input Hub, Media Hub (USB, AUX), Integrated Voice Command w/Bluetooth	\$495.00
CME	WOOD FLOOR	\$395.00
XAC	PARKVIEW REAR BACK-UP CAMERA (Requires RA2)	\$265.00
OPTIONS TOTAL		\$2,240.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

WEIGHT RATINGS

WEIGHT RATINGS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

Front Gross Axle Weight Rating:	4,630.00
Rear Gross Axle Weight Rating:	5,291.00
Gross Vehicle Weight Rating:	8,550.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

EXTERIOR DIMENSIONS

Wheelbase (in)	136.00
Length, Overall w/rear bumper (in)	
Width, Max w/o mirrors (in)	80.70
Height, Overall (in)	88.70
Overhang	
Overhang, Front	
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	21.00
Ground Clearance	
Ground Clearance, Front	
Ground Clearance, Rear	
Rear Door	
Rear Door Type	Split Swing-Out
Rear Door Opening Height	
Rear Door Opening Width	
Side Door	
Side Door Type	Sliding
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	

CARGO AREA DIMENSIONS

Length @ Floor	
Cargo Area Length @ Floor to Console (in)	
Cargo Area Length @ Floor to Seat 1	122.8
Width	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MARLBORO SCHOOL DISTRICT
Phone: (845) 236-5805
Fax: (845) 236-1367

Prepared By:
administrator

2016 Fleet/Non-Retail Ram ProMaster Cargo Van 1500 Low Roof 136" WB

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2016 Fleet/Non-Retail VF1L12 1500 Low Roof 136" WB

CARGO AREA DIMENSIONS

Cargo Area Width @ Beltline	73.6
Cargo Box Width @ Wheelhousings	55.8
Cargo Box (Area) Height (in)	65.40
Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	2
Seating Position	Front
Head Room (in)	
Leg Room (in)	38.80
Shoulder Room (in)	74.80
Hip Room (in)	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 404.0, Data updated 9/15/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: