Specifications for Ford F250 4x4 SD Crew Cab 6.75' Box 156" WB SRW XL, W2B

172" WB in Lieu of 156" WB with 66D Option below

6.2L Gas/FFV

Ford Option Code	Description
Z1	Oxford White
18B	Molded Black Cab Steps
1S	Cloth 40/20/40 Split Bench Seat
213	Electric Shift on Fly 4x4
41P	Skid Plate Package
473	Snow Plow Prep Package
52B	Tow Command Integrated Trailer Brake Control
62D	Steering Wheel Controls
67D	Heavy Duty 200 Amp Alternator
90L	Power Equipment Group
91M	SYNC System
942	Daytime Running lamps- STD on all OGS vehicles
96V	XL Value Package (Cruise, CD, Aux, Décor Pkg)
TBM	LT245/75RX17E BSW AT
X3E	3.73 ELocking
66D	Less Pickup Box (Spare deleted)
512	Spare Tire/ Wheel (Deleted with 66D Option)

Interior Color: Steel
Front Seats: 40/20/40 reclining cloth
Rear Seats: 60/40 folding cloth

****Additional Required Equipment: All to be installed prior to delivery**

Quantity	Vendor	Vendor Part #	Description
1	Federal Signal	LGD53	Legend Light bar/ NYS Fire Spec w/F350 hook kit
1	Federal Signal	UTMD-MB	Touchmaster Delta Siren Controller
1	Federal Signal	ES-100	Siren Speaker
1	Federal Signal	ESB-U	Siren Speaker Bracket
2	Federal Signal	IPX 600R	ImPaxx Grille light, Red
1	Federal Signal	QL97SFC-RA	9x7 Quadraflare, Red/Amber
1	Federal Signal	QL97SFC-RB	9x7 Quadraflare, Red/Blue
2	Federal Signal	QL97MC	9x7 Trim Bezel, Chrome with Gasket
2	Federal Signal	VPX800-4	Viper EXT- Red
1	Federal Signal	CNSM8R-2654202	8-Head Signal Master w/interface module
1	Federal Signal	CNSM-UM	Signal Master Universal Mount
1	Federal Signal	331105	Signal Master Controller

Quantity	Vendor	Vendor Part #	Description
1	Havis	C-1800	18" Enclosed Havis Utility Console
3	Havis	C-HK-LP	Lighter Plug Kits
1	Havis	C-CUP2-1	Dual Internal Cup Holder
1	Havis	C-ML-LP2	2" plate w/maplight and 2-12v outlets
1	Havis	C-AP-0325	Accessory Box
2	Havis	MC	Mic Clips
2	Havis	MCB	Mic Clip Brackets
1	Havis	C-EB25-TMD	Console Bracket for Touch Master Delta
1	Havis	C-EB30-TK7-1P	Console Bracket for Kenwood TK790
1	Havis	C-EB20-SMC-1P	Console Bracket for Signal Master Controller

Remaining open space in console will be filled with blank cover/ filler plates.

**** Vendor shall work with ordering agency on three custom fabricated brackets/console support systems. Brackets/console support structures shall be constructed of 3/16th aluminum and meet customer shape and measurement specifications. There are pictures below of the two brackets/console support systems.**

This is the front console support. Center seat section frame is left as support also.



Rear bracket of console support, using seat frame bolts as anchor.



Both fronts and rear console supports prior to install

****The Following Service Body from Monroe Custom Bodies (MCB) and Cargoglide Bed slide are to be installed on truck prior to delivery. Vendor shall work with ordering agency for placement of emergency lighting on service body.**

Qty.	Item Description

SB 96 M 4816-TSU45-AL ALUMINUM SERVICE BODIES

Chassis:

Ford F-250, Single Rear Wheel

56 " CA

Body Dimensions:

96 " Body Length

48.5 " Floor Width

16 " Compartment Depth

42.5 " Compartment Height

26 " Floor to top of compartment

19 " Radius

53 " UCA

ASSEMBLY BODY BUILD Requirements:

STREETSIDE Compartmentation:

1st Vertical - 32 " wide x 42.5 " high x 16 " deep

1 Adjustable Divider Tray

1 Adjustable Shelf

Horizontal - 42 " wide x 21 " high x 16 " deep

1 Fixed Shelf - centered

Rear Vertical - 22 " wide x 42.5 " high x 16 " deep

1 Adjustable Shelf

1 False Wall to protect Lights

CURBSIDE Compartmentation:

1st Vertical - 32 " wide x 42.5 " high x 16 " deep

1 Adjustable Divider Tray

1 Adjustable Shelf

Horizontal - 42 " wide x 21 " high x 16 " deep

1 Fixed Divider Tray - centered

Rear Vertical - 22 " wide x 42.5 " high x 16 " deep

Vacant

1 Light Guard

OTHER BODY FEATURES:

1 BODY CONSTRUCTION - .125, 3003 H14 ALUMINUM

1 DRAIN HOLES in bottoms of all compartments

1 COMPARTMENT TOPS - .125, 3003 H14 ALUMINUM

1 LOADSPACE WALLS - .125, 3003 H14 ALUMINUM

1 BULKHEAD - .125, 3003 H14 ALUMINUM

1 WHEEL PANELS - .125, 3003 H14 ALUMINUM

1 RUBBER FENDERS – INSTALLED

---

1 FLOOR - .125, 6061 T6 ALUMINUM TREADPLATE

1 - UNDERFRAME - STRUCTURAL 6061 T6 ALUMINUM CHANNEL

- Drawing 013-XXXX

6 BODY DOORS - Double Panel

- OUTERS .125 ALUMINUM BEVELED EDGE Design
- INNERS .090 ALUMINUM
- INSTALLED using HIDDEN HINGE system

6 GASKET - CLIP ON - INSTALLED

6 T-Twist Handles - 2 Point - STAINLESS STEEL

4 AIR CYLINDER HOLD OPEN / RESTRAINTS - on Vertical Doors

4 CHAINS on Horizontal Doors

1 Undercoating

ASSEMBLY ACCESSORY BUILD Requirements:

TSU-TOP ALUMINUM ENCLOSURE:

1 96 " long x 80.5 " wide @ bottom x 45 " high I.D. (floor to roof)

- Straight Sides with Coves

1 REAR DOORS - DOUBLE LAPPING Barn Type - with Stainless Strap Hinges and Locking Handle

1 - Double Pan Construction

1 - Interior Door has Bar Release with 2 Point Latching

- INSTALLATION

1 ROOF - 2" High - Hat Channel Reinforced 24" on Center Max.

1 BULKHEAD - Standard

T-TOP STREETSIDE:

2 - UPPER COMPARTMENTS - Lift Up Doors with **2 Point Stainless T-Twist Handles**

1 - Gas Assist Props - Open to Interior w/ 2 " LIP on Compartment Top

T-TOP CURBSIDE:

2 - UPPER COMPARTMENTS -Lift Up Doors with **2 Point Stainless T-Twist Handles** - Gas Assist Props - Ope Interior

1 - Gas Assist Props - Open to Interior w/ 2 " LIP on Compartment Top

---

1 FUEL FILL - Punch for Fuel Fill in Streetside Wheel Panel at Rear

1 MASTER LOCKING - Both Sides of Body and Upper Compartments- Spring Loaded

- with Provisions for Padlocks at Rear of Body

1 BUMPER - .125, 6061 T6 ALUMINUM TREADPLATE - 8" x full width

1 - RECESS FOR PINTLE

1 - INSTALLATION on body

PAINTING Requirements:

1 PRIMER - Standard Urethane - White

1 FACTORY PAINT - to match cab - WHITE - Paint Code # Ford White Z1

- NOTE: Interior of Compartments are White Urethane Primed Only

LIGHTING / ELECTRICAL Requirements:

1 FMVSS LIGHTING PACKAGE (Standard):
- LED RECESSED Stop, Tail, Turn Lights - Includes Third Brake Light at Top Center of Canopy
- LED RECESSED Back Up Lights
- LED Clearance Lights - Recessed
- LED License Plate Light
- Reflectors - Surface Mounted
- INSTALLATION of Lights and Reflectors

1 FMVSS LIGHTS WIRED in Loom at Factory

6 LED COMPARTMENT LIGHTS with SWITCH on Lights and BRACKETS:
- Lights INSTALLED at Top of Compartments

6 - Compartment Lights WIRED in Loom

MOUNTING Requirements:

Mounted by Vendor Prior to delivery to customer.

SHIP LOOSE ITEMS:

NONE

FINALIZE DETAILS:

1 Install Shelving and Dividers, final Door and Accessory Adjustments, and final Quality Control Inspection

- Approx. Weight - 1350 lbs.

All other features of this body are to be in accordance with MCB Standards.

Additional work to be added :
Spray line floor of service body
Spray line rear bumper
Supply and Install class 5 trailer hitch
Supply and install 7 way trailer plug

- **Cargoglide brand CG1500xl bed slide** installed in the utility box. Steel frame, powder coated finish, 100% extension, pre-assembled, 36 sealed bearings with slide thrust bearings for easy sliding, 8in side rails with integrated tie down t-slots. Full length real plywood deck with spray coated industrial bed liner finish.