- Explorer	4WD, 4 DOOR SUV
WHEELBASE	112 in.
WIDTH OVERALL	78 INCHES
HEIGHT OVERALL	70 in.
SWAY BAR	Front and Rear
ENGINE	V-6 3.5 290 Horsepower and 225 lb.-ft. of torque Engine hour meter
ELECTRICAL SYSTEM	Twelve (12) volt ignition, lighting and accessory system
BATTERY	730 CCA - Dual Batteries
ALTERNATOR	Heavy duty - min 200 amperes
TRANSMISSION	6 Speed Automatic W/Overdrive
ANTILOCK BRAKES	4 Wheel Anti-lock disc
FRAME	Heavy duty full frame
ASSIST STEPS	Black
STEERING	Power
SUSPENSION	Extra heavy duty suspension,with off road suspension package
SHOCK ABSORBERS	Extra heavy duty shocks, front and rear, with heavy duty stabilizing bar on front and rear
AIR CONDITIONER/HEATER	Factory installed air conditioning/heater that will operate efficiently and effectively to control heating, cooling, and dehumidification and defrosting under condition of maximum load

Amber LED hideaways such as Whelen Vertex, Amber Color to be placed in Front Corner lights and rear backup light area. Provide all wiring and dash mounted rocker switch.

- Explorer	4WD, 4 DOOR SUV
COOLING SYSTEMS	Extra fine density heavy duty radiator and engine condenser for air conditioner heat dissipation to adequately and properly carry out their functions.
TIRES AND RIMS	Five (5) all weather tires tubeless steel belted radial tires on all wheels including spare. With Steel Wheels and Full Covers LT 245/65R17 , with pressure monitoring system
OUTSIDE MIRRORS	Power - adjustable
SEATS, FRONT	Cloth Buckets, power with factory console
SEATS, REAR	Cloth
FLOOR	Carpeted
POWER WINDOWS	Factory Only
DOORS	Rear, lift gate with lift glass, power open/close/lock,
POWER DOOR LOCKS	Factory Installed
PAINTING - Exterior Interior	BLACK EXTERIOR BLACK OR GREY INTERIOR
WIPER/WASHER TIME DELAY	Heavy duty 2 speed electric wiper with delay, with automatic washer service with washing fluid reservoir located under the hood and filled with washer fluid
SPEEDOMETER	Speedometer factory installed,certified
SEAT BELTS	An individual set of seat belts shall be firmly anchored for each of passenger settings. Shoulder harnesses shall be provided for the two out riding front seat passengers. All door side belts, at least, shall be retractable.
GAS TANK	31 Gallon

Explorer	4WD, 4 DOOR SUV
DEFROSTER	Rear window defroster wire type
GAUGES	To include watertemp, oil, tac and volt or amp meter
AIR BAGS	Factory installed Driver's & Passengers air bags, dual-stage, frontal, passenger-side includes Passenger Sensing System with head curtain side impact first and second row,and rollover sensor

HER

MISCELLANEOUS

1 Set Shop Manuals per Order

Mud Flaps

Front license Plate Bracket

Tow/Haul mode

Rear Window Defroster