

Mini-Bid T16040019 – Erie County Water Authority

Specifications - Ford F-350 - Chevy 3500 –Ram 3500

Quantity (1) Vehicles (ECWA – Operations VEH 032)

New 2016 or 2017 Ford F-350 Super Duty DRW – Code X3H

2016 Ford Super Duty F-350 DRW 4WD Supercar 162" XL

OR

New 2016 or 2017 Chevy 3500HD – Code CK36043

2016 Chevy Silverado 3500 HD DRW 4WD Crew Cab 171.5" Work Truck

OR

New 2016 or 2017 Ram 3500 Crew Cab – Code DF8L93

2016 Ram 3500 HD DRW4WD Crew Cab 172" Tradesman

With the follow features:

Diesel Engine

Dual Wheels

Automatic Transmission

4 Wheel Drive

Vinyl Seats

All Terrain tires

Full Size Spare Wheel if available

Exterior White Paint

Side Towing Mirrors

Blue Tooth Phone Connectivity

One (1) Audio Input OR USB Port

AC Power Inverter

Keyless Entry

Power Windows

Power locks

Air Conditioning

Chrome or Black Molded Platform Steps (Running Boards)

Trailer Brake Controller

Trailer Brake Wiring to rear of vehicle for 7 pin connector

Dual Alternator

Upfitter Switches (4)

Heavy Duty Battery (730 Cold Cranking Amps)

Rear View Mirror

Electrical Accessories - All electrical accessories shall be independently wired and fused. Any access holes for wires and mounts will be made waterproof.

SEE Body Specs Below

Model: Warner Select II WS2108-M-DW-U-LP (Low profile) or Approved Equal

Customer's Chassis: Diesel engine single tank cab & chassis and dual rear wheels

Additional Options:

Master locking system.

3 point compression latches.

Headache rack with beacon light.

Tail lights installed in rear compartments

Grab Handles mounted on top rear of service body

Hold Downs in floor (2 front; 2 Rear)

Service body to be undercoated

White Paint to match Truck

(2) Two Amber LED multi-flash lights installed in rear compartments and wired to cab upfitter switches

Rear Bumper Hitch

Rear Bumper Plate of ½" Steel plate and tied into/welded to rear vehicle frame rails

Install 8 ton pintle hook for towing with D rings. Pintle hook is to be drilled/bolted to rear bumper plate and reinforced in rear bumper plate.

Install 7-way trailer plug receptacle in rear bumper plate (Cole-Hersee – Part 12063

Install mud flaps aft of rear axle

Fabricate and install steps on rear bumper hitch plate to gain access to either side of service body

Pictures can be sent upon request

