

Economic development

- 2017 F350 XL Supercab 4X4 Cab Chassis (W3F order code 630A)
- **AS** Medium Earth Gray HD Vinyl 40/20/40
- **Z1** Oxford White exterior
- **43C** 110V/400W outlet
- **512** Spare tire and jack
- **531** Trailer tow package
- **86B** Engine idle shutdown (10 minute)
- **67E** Heavy duty alternator (std?)
- **90L** Power equipment group
- **18B** platform running boards
- **91S** LED Warning lights
- **61S** splash guard/ front
- **213** Electronic shift on the fly
- **473** snow plow prep package
- 4extra key's
- 5 year 125,000 premium care warranty W/ \$0.00 deductible

Aftermarket items

- Western pro plus 9' plow W/ rubber snow deflector mounted on upper edge and flags on each end.
- KNAPHEIDE series 700 service body (6108J SRW 168") for supercab with hitch recessed bumpers, grab handles, and master lock system, a Telescopic sliding roof, and a Spray in bedliner on floor of utility body..

Any technical questions please call Anthony Ceglio at 631-852-8095

KNAPHEIDE
SINCE 1848

// FORD

SERVICE BODIES



KNAPHEIDE SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



STANDARD SHELVING


All Knapheide Service Bodies come with the following standard shelving units:

- Two adjustable divider shelves and dividers, in the street and curb side front vertical compartments (1st and 2nd vertical 132" bodies only)
- One adjustable divider shelf and dividers in the street and curb side full height rear vertical compartments
- One adjustable divider shelf and dividers in the curb side horizontal compartments

REQUEST A QUOTE

Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.


STANDARD FEATURES




A Features 14-gauge, two-sided A-40 galvanized steel shell




H Features double-shell, 20-gauge, two-sided A-40 galvanized steel compartment doors




B Exclusive "Return Flange" floor design provides support




I Automotive-quality, rotary-style latches make opening and closing easy




C Interior light guards protect recessed lighting and wiring



J Interior cover protects internal latch from damage




D Continuous stainless steel hinges are pry-proof and corrosion-resistant



K Neoprene door seals protect compartments from the weather



E Adjustable security ring strikers provide a weather-tight seal




L Quick-mount installation allows for fast, safe mounting



F Includes 250-lb. capacity adjustable divider shelves



M Includes slam-lock tailgate with one-hand center release



G Double-spring over-center door retainer eliminates involuntary door swing




N Electrodeposition prime-paint system provides superior corrosion resistance

COMPARTMENT CONFIGURATIONS



// 500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.




// 600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.


// 700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



// LOW PROFILE BODY

Low Profile Bodies, denoted by "LPJ", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.





// RAISED FRONT COMPARTMENTS

Raised front vertical compartment configuration raises the curb side front vertical compartment to 60" tall.

// FLIP TOP COMPARTMENTS


Flip Tops, denoted by "FJ", allow for greater internal storage, organization and flexibility. Knapheide's Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.




// PLUS 50 COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment in the back. Plus 50 models have 50% more effective storage capacity.

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".



THREE-DRAWER UNIT




TWO-DRAWER UNIT


POPULAR OPTIONS

// BUMPERS


Knapheide bumpers are constructed with work in mind. With four configurations and three surface options (tread plate, Galva-Grip, and grip strut), we have a bumper for every need. Select bumpers available with Knap-liner coating for additional friction and durability.




STRAIGHT BUMPERS




STEP BUMPERS



BALL HITCH RECESS BUMPERS




HITCH RECESS BUMPERS




GRIP STRUT HITCH RECESS BUMPERS

// CANOPY ROOF


The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. For a tapered-side one-piece body design, take a look at our KUVcc product line.




STRAIGHT SIDES




TELESCOPIC ROOF




SIDE LADDER RACKS



SIDE ACCESS DOORS




REAR ACCESS DOOR



// TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



// CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 ft-lb. onto the rear curb side corner of your body.

// RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.




**KNAPHEIDE
UTILITY RACK**



**OVERCAB
MATERIAL RACK
(KARGO MASTER)**



**SIDE MOUNT
LADDER RACK**



**OVERHEAD
LADDER RACK**


NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

• **LADDER
RACK ROLLERS**

• **LADDER
RACK RAILS**

POPULAR OPTIONS

// SECURITY




MASTER LOCKS




POWER LOCKS

// LIGHTING




LED STOP/TAI/
TURN & BACKUP
LIGHTS




LED COMPARTMENT
LIGHTS

// SAFETY




GRAB HANDLES



CABLE STEPS

// STORAGE/ORGANIZATION



ALUMINUM
DRAWERS



STEEL
DRAWERS




FLEX STEPS



SORTIMO COMPARTMENT
STORAGE/MOBILITY

// EXTERIOR OPTIONS



ROCK GUARDS



ALUMINUM TREAD
PLATE TRIM KITS

// SHELVES




PULL-OUT
SHELVES




PULL-OUT TRAY



WHEEL CHOCK
HOLDER -
FENDER SKIRT



MOUNTING KITS FOR
REMOVABLE CRANE
(SPITZLIFT)



METER TRAY
WITH HOLES

// DOOR OPTIONS



**SINGLE POINT
OR THREE POINT
T-HANDLE**



**REAR ACCESS
DOOR**



**REAR ACCESS DOOR
WITH FULL-LENGTH SHELF**


// CARGO AREA



**E-TRACK &
ACCESSORIES**



**MODULAR CAB
GUARD**



**CARGO
TIE-DOWNS**



COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."




It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.

// 40" CA SINGLE REAR WHEEL J-SERIES

Model	Configuration	Wheel Size	Weight
680J	Standard	40"	964 lb.
680LPJ	Low Profile	36"	904 lb.
680FJ	Flip Top (L)	37.25"	1,009 lb.
680FJ40	Flip Top (H)	41.25"	1,069 lb.

Model	Configuration	Wheel Size	Weight
X2A/X2B	Super	142"	10,000 lb.
W2A/W2B	Crew	156"	10,000 lb.
X3A/X3B	Super	142"	10,000/11,500 lb.
W3A/W3B	Crew	156"	10,000/11,500 lb.






// 56" CA SINGLE REAR WHEEL

Model	Configuration	Wheel Size	Weight
696J	Standard	40"	1,111 lb.
696LPJ	Low Profile	36"	1,060 lb.
696FJ	Flip Top (L)	37.25"	1,183 lb.
696FJ40	Flip Top (H)	41.25"	1,234 lb.
696D38J*	Standard	40"	1,153 lb.
696D38LPJ*	Low Profile	36"	1,100 lb.
696D38FJ*	Flip Top	37.25"	1,223 lb.

Model	Configuration	Wheel Size	Weight
F2A/F2B	Regular	137"	9,800/10,000 lb.
X2A/X2B	Super	158"	9,900/10,000 lb.
W2A/W2B	Crew	172"	9,900/10,000 lb.
F3A/F3B	Regular	137"	10,000/11,500 lb.
X3A/X3B	Super	158"	10,000/11,500 lb.
W3A/W3B	Crew	172"	10,000/11,500 lb.




*D38 models denote 38" wide floor and 20" deep compartments



// 56" CA DUAL REAR WHEEL

Model	Configuration	Wheel Size	Weight
696D54J	Standard	40"	1,288 lb.
696D54LPJ	Low Profile	36"	1,234 lb.
696D54FJ	Flip Top (L)	37.25"	1,357 lb.
696D54FJ40	Flip Top (H)	41.25"	1,412 lb.

Model	Configuration	Wheel Size	Weight
F3C/F3D	Regular	137"	11,800/13,000 lb.
X3C/X3D	Super	158"	12,200/13,000 lb.
W3C/W3D	Crew	172"	12,600/13,000 lb.



// 60" CA SINGLE REAR WHEEL

→ 6108J	Standard	40"	1,238 lb.	F3E/F3F	Regular	141"	10,000/11,000 lb.
6108LPJ	Low Profile	36"	1,176 lb.	X3E/X3F	Super →	162"	10,000/11,500 lb.
6108FJ	Flip Top (L)	37.25"	1,311 lb.	W3E/W3F	Crew	176"	10,000/11,500 lb.





"F" models only

// 60" CA DUAL REAR WHEEL

6108D54J	Standard	40"	1,399 lb.	F3G/F3H	Regular	141"	13,000 lb.
6108D54LPJ	Low Profile	36"	1,366 lb.	X3G/X3H	Super	162"	13,000 lb.
6108D54FJ	Flip Top (L)	37.25"	1,471 lb.	W3G/W3H	Crew	176"	13,000 lb.
6108D54FJ40	Flip Top (H)	41.25"	1,530 lb.	F4G/F4H	Regular	141"	16,000 lb.
6108XWJ*	Standard	40"	1,363 lb.	X4G/X4H	Super	162"	16,000 lb.
6108XWFJ*	Flip Top	37.25"	1,434 lb.	F5G/X5H	Regular	141"	17,950/19,000 lb.
				X5G/X5H	Super	162"	17,950/19,000 lb.
				W5G/W5H	Crew	176"	17,950/19,000 lb.

*XW models denote 65" wide floor and 14.5" deep compartments




"F" models only

// 84" CA DUAL REAR WHEEL

6132D54J	Standard	40"	1,704 lb.	F3G/F3H	Regular	165"	13,300 lb.
6132D54LPJ	Low Profile	36"	1,626 lb.	F4G/F4H	Regular	165"	15,500/16,500 lb.
6132D54FJ	Flip Top (L)	37.25"	1,791 lb.	W4G/W4H	Crew	200"	16,000 lb.
6132D54FJ40	Flip Top (H)	41.25"	1,863 lb.	F5G/F5H	Regular	165"	17,500/19,000 lb.
6132XWJ*	Standard	40"	1,656 lb.	W5G/W5H	Crew	200"	17,500/19,500 lb.

*XW models denote 65" wide floor and 14.5" deep compartments



"F" models only

NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

Knapheide. Never settle.

SIX-YEAR, LIMITED WARRANTY



NO RUST
THROUGH



DOOR HINGES WILL
NOT FAIL OR COME
OFF BODY



LATCHES AND LOCK
CYLINDERS WILL NOT
FAIL TO OPERATE



SHELVES WILL NOT
BEND UNDER MAX.
LOAD OF 250 LBS.

Visit www.knapheide.com/warranty for more information.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131
www.knapheide.com
knapheide@knapheide.com

KNAPHEIDE
SINCE 1848